


**CM EN 733 ~ 2900 r.p.m.**

# 65-250



| TYPE     | P2   |      | P1<br>(kW) | A                | Q (m³/h - l/min) |      |      |      |      |      |      |      |      |      |      |      |      |  |
|----------|------|------|------------|------------------|------------------|------|------|------|------|------|------|------|------|------|------|------|------|--|
|          |      |      |            | 3~               | 0                | 54   | 60   | 66   | 72   | 78   | 84   | 96   | 108  | 120  | 132  | 144  | 156  |  |
|          |      |      |            | 3~               | 0                | 900  | 1000 | 1100 | 1200 | 1300 | 1400 | 1600 | 1800 | 2000 | 2200 | 2400 | 2600 |  |
| 3~       | (HP) | (kW) | 3~         | 3x400 V<br>50 Hz | H (m)            |      |      |      |      |      |      |      |      |      |      |      |      |  |
| 65-250 B | 40   | 30   | 37,8       | 63,5             | 81,0             | 79,5 | 78,5 | 77,3 | 76,0 | 74,5 | 73,0 | 69,3 | 65,0 | 60,0 | 54,5 | 48,5 | -    |  |
| 65-250 A | 50   | 37   | 45         | 74,5             | 90,0             | 89,5 | 88,5 | 87,5 | 86,5 | 85,5 | 84,0 | 80,5 | 76,5 | 72,0 | 66,5 | 60,5 | 54,0 |  |